2025, Vol. 3, No. 4, pp. 159-167
E-ISSN: 3025-9444

Optimization of Production Scheduling Using Genetic Algorithm in Manufacturing Systems

Muhammad Arif Ramadhan [1]✉, Aung Min Htet [2]
(1) Department of Industrial Engineering, Universitas Riau, Pekanbaru, Indonesia
(2) Department of Mechanical Engineering, Yangon Technological University, Yangon, Myanmar

Abstract: Production scheduling plays a critical role in improving efficiency, reducing makespan, and optimizing resource utilization in manufacturing systems. Conventional scheduling methods often fail to handle complex constraints, dynamic environments, and multi-objective requirements. This study examines the effectiveness of Genetic Algorithms in optimizing production scheduling across various manufacturing contexts. The research adopts a systematic literature-based analytical approach by synthesizing empirical findings from recent journal articles and conference proceedings published between 2021 and 2025. The analysis focuses on job shop, flow shop, flexible manufacturing systems, and reconfigurable manufacturing environments. The results show that Genetic Algorithms consistently outperform traditional heuristics and single-solution optimization methods in minimizing makespan, reducing lead time, improving machine utilization, and supporting adaptive scheduling under uncertainty. Hybrid models combining Genetic Algorithms with Simulated Annealing, Petri Nets, and simulation-based optimization demonstrate superior performance and robustness. The study confirms that Genetic Algorithms provide a scalable and flexible framework for production scheduling optimization in modern manufacturing systems. These findings contribute to decision support system development and provide guidance for future research on hybrid and data-driven scheduling models.

Article history:
Received: 20 August 2025
Revised: 21 September 2025
Accepted: 22 October 2025
Published: 29 October 2025

Keyword:
production scheduling, genetic algorithm, manufacturing systems, optimization, job shop scheduling

This is an open-access article under the CC-BY-SA License.

How to cite: Ramadhan, M. A., & Htet, A. M. (2025). Optimization of Production Scheduling Using Genetic Algorithm in Manufacturing Systems. *RESWARA: Jurnal Riset Ilmu Teknik*, *3*(4), 159-167. https://doi.org/10.70716/reswara.v3i4.424

INTRODUCTION

Production scheduling represents a core decision-making function in manufacturing systems because it directly determines how limited resources are allocated over time to meet production targets. Effective scheduling improves machine utilization, shortens makespan, reduces work-in-process inventory, and enhances delivery reliability. In modern manufacturing environments, scheduling complexity continues to increase due to product customization, shorter life cycles, fluctuating demand, and tighter delivery requirements. These conditions challenge traditional deterministic scheduling methods that rely on fixed rules and simplified assumptions (Schlecht et al., 2022).

Conventional scheduling approaches, including priority rules and mathematical programming, often face limitations when applied to real-world manufacturing systems. Exact optimization methods struggle with combinatorial explosion as problem size grows, while heuristic rules lack adaptability when system conditions change. As manufacturing systems evolve toward flexible, reconfigurable, and intelligent configurations, scheduling models must handle multiple objectives, nonlinear constraints, and dynamic disturbances simultaneously (Petrovic et al., 2022). These challenges motivate the adoption of metaheuristic optimization techniques capable of exploring large solution spaces efficiently.

✉ *Corresponding author: m.ariframadhan@eng.unri.ac.id*
Copyright © 2025, the author(s)

Genetic Algorithms have emerged as one of the most widely applied metaheuristic methods for production scheduling optimization. Inspired by evolutionary principles, Genetic Algorithms use population-based search, selection, crossover, and mutation to iteratively improve solution quality. This mechanism enables Genetic Algorithms to escape local optima and maintain solution diversity, which is essential in complex scheduling environments. Empirical studies demonstrate that Genetic Algorithms outperform traditional heuristics in minimizing makespan and balancing machine workloads across various manufacturing contexts (Agárdi, 2024; Zhang et al., 2021).

In job shop and flow shop scheduling problems, Genetic Algorithms consistently show strong performance. Gupta et al. (2024) reported that Genetic Algorithms improved makespan by 32.23 percent compared to existing production schedules in a manufacturing case study. Similar findings appear in flow shop environments, where Genetic Algorithm-based models achieved better performance than six benchmark heuristic methods on standard datasets (Agárdi, 2024). These results confirm the robustness of Genetic Algorithms when handling sequencing complexity and resource constraints.

Flexible manufacturing systems introduce additional scheduling challenges due to alternative routing options, machine flexibility, and frequent system reconfiguration. In such environments, Genetic Algorithms demonstrate strong adaptability. Bao et al. (2023) and Zhang (2022) showed that Genetic Algorithm-based scheduling models improve equipment utilization and reduce idle time by dynamically adjusting job-machine assignments. These findings highlight the suitability of Genetic Algorithms for systems that require continuous adjustment rather than static schedules.

Recent studies emphasize the importance of hybrid optimization models that combine Genetic Algorithms with complementary techniques. Hybridization aims to enhance convergence speed, solution quality, and robustness. Dai et al. (2022) proposed an improved hybrid genetic algorithm that integrates simulated annealing mechanisms to avoid premature convergence. Their results indicate significant reductions in completion time compared to standard Genetic Algorithms. Similar improvements were reported by Zhang et al. (2024) and Singh and Singh (2024), who applied Genetic Algorithm and Simulated Annealing hybrids to job shop and flexible manufacturing systems.

Simulation-based optimization represents another important development in production scheduling research. By integrating Genetic Algorithms with discrete-event simulation, researchers can evaluate scheduling decisions under realistic operating conditions. Carocca (2022) demonstrated that simulation-based Genetic Algorithm optimization reduced average lead time by more than 10 percent in a machining process. This approach supports more accurate performance evaluation by capturing system dynamics, machine failures, and queue interactions.

The scope of Genetic Algorithm applications has expanded beyond conventional manufacturing systems. In reconfigurable and intelligent manufacturing systems, scheduling must adapt to structural changes and real-time information. Hammedi et al. (2024) integrated Genetic Algorithms with Petri Nets and artificial intelligence techniques to optimize scheduling in reconfigurable manufacturing systems. Their results showed improved lead time reduction and resource utilization compared to traditional approaches. These findings indicate that Genetic Algorithms provide a flexible foundation for intelligent scheduling frameworks.

Environmental sustainability has also become a critical concern in manufacturing scheduling decisions. Green manufacturing requires balancing production efficiency with energy consumption and emission reduction. Xu and Wang (2023) developed a Genetic Algorithm-based scheduling model

Copyright © 2025, the author(s). This is an open access article under the CC-BY-SA License.

for flexible manufacturing systems that significantly reduced carbon emissions while improving resource utilization. Mansour and Abohashima (2023) further demonstrated that Genetic Algorithms effectively solve bi-objective scheduling problems that consider both tardiness and energy consumption.

Sector-specific applications provide further empirical evidence of Genetic Algorithm effectiveness. In semiconductor manufacturing, Wang (2023) reported measurable reductions in production time using an integrated scheduling optimization algorithm based on genetic principles. In aerospace manufacturing, Grassi et al. (2023) showed that Genetic Algorithm-based scheduling improved tool utilization and reduced makespan in flexible job shop environments. Automotive manufacturing studies also confirm that Genetic Algorithms support flexible production management under demand variability (Zhang et al., 2025).

Despite extensive empirical evidence, existing studies exhibit several limitations. First, many investigations focus on single case studies or specific manufacturing sectors, which limits the generalizability of findings. Second, prior research often emphasizes algorithm development without systematically comparing performance patterns across different manufacturing system types. Third, recent advances in hybrid and integrated Genetic Algorithm models remain fragmented across the literature, making it difficult to identify consistent strengths and limitations.

Another important gap lies in the synthesis of recent empirical findings. While individual studies report performance improvements, few analyses consolidate results across job shop, flow shop, flexible, and reconfigurable manufacturing systems using a unified analytical perspective. This gap restricts the ability of researchers and practitioners to understand when and why Genetic Algorithms perform best, and which configurations yield the most reliable results.

Therefore, a comprehensive examination of Genetic Algorithm-based production scheduling optimization is required. Such analysis should focus on empirical performance indicators, including makespan reduction, lead time improvement, machine utilization, and adaptability to system dynamics. It should also highlight the role of hybridization and integration with simulation and intelligent systems.

This study addresses these gaps by systematically analyzing recent empirical research on production scheduling optimization using Genetic Algorithms. The study synthesizes findings from peer-reviewed journal articles and conference proceedings published between 2021 and 2025. The analysis covers diverse manufacturing environments, including job shop, flow shop, flexible manufacturing systems, and reconfigurable manufacturing systems.

The primary contribution of this study lies in consolidating empirical evidence to identify consistent performance trends and methodological strengths of Genetic Algorithms in production scheduling. The findings aim to support researchers in developing more robust optimization models and assist practitioners in selecting suitable scheduling approaches for complex manufacturing environments. By focusing on empirical outcomes rather than theoretical development alone, this study enhances the practical relevance of Genetic Algorithm-based scheduling research.

RESEARCH METHOD

This study employed a qualitative analytical research design based on a systematic review and comparative analysis of empirical studies on production scheduling optimization using Genetic Algorithms. The methodological approach focused on synthesizing verified results from prior research

Copyright © 2025, the author(s). This is an open access article under the CC-BY-SA License.

rather than generating new experimental data. This design was selected to ensure consistency with the research objective, which aims to evaluate the effectiveness and performance patterns of Genetic Algorithm-based scheduling approaches across different manufacturing systems.

The scope of the study covered manufacturing scheduling environments that are most frequently addressed in recent empirical research, including job shop scheduling, flow shop scheduling, flexible manufacturing systems, reconfigurable manufacturing systems, and intelligent manufacturing systems. These environments were selected because they represent varying levels of system complexity, routing flexibility, and operational constraints, allowing a comprehensive evaluation of Genetic Algorithm performance under diverse conditions.

The data source consisted of peer-reviewed journal articles and conference proceedings published between 2021 and 2025. All references analyzed were drawn exclusively from the article's established reference list to ensure citation consistency and methodological transparency. The selected studies reported empirical results derived from real manufacturing cases, simulation-based experiments, or benchmark scheduling problems. Studies that focused solely on theoretical algorithm development without performance evaluation were excluded to maintain empirical relevance.

Data collection followed a structured documentation process. Each selected study was examined to extract key methodological characteristics, including scheduling problem type, optimization objectives, Genetic Algorithm configuration, hybridization techniques, and evaluation metrics. Performance indicators consistently reported across studies, such as makespan reduction, lead time improvement, machine utilization, energy consumption, and computational efficiency, were recorded to enable systematic comparison. This extraction process ensured that the analysis relied on observable and verifiable outcomes rather than subjective interpretations.

The analytical procedure applied a comparative synthesis method. First, studies were grouped according to manufacturing system type to preserve contextual integrity. Second, reported performance outcomes were compared within and across groups to identify recurring patterns and deviations. This step enabled the identification of consistent strengths and limitations of Genetic Algorithm-based scheduling models in different operational settings. Third, hybrid and integrated models were analyzed separately to assess the impact of combining Genetic Algorithms with techniques such as Simulated Annealing, Petri Nets, and simulation-based optimization.

To maintain methodological rigor, the analysis emphasized relative performance improvements reported in each study rather than absolute numerical values. This approach minimized bias caused by differences in system scale, problem size, and case-specific constraints. The focus remained on directional performance trends, such as improvement magnitude and robustness, which are more transferable across manufacturing contexts.

Validity and reliability were addressed through triangulation of findings across multiple independent studies. When similar performance outcomes appeared in different manufacturing environments or research designs, the results were considered more robust. This triangulation approach strengthened the credibility of the synthesized conclusions and reduced the influence of isolated or context-specific findings.

The study did not involve direct experimentation, surveys, or human participants. Therefore, ethical approval was not required. All analyzed data originated from publicly available academic publications. Proper attribution was maintained throughout the analysis to respect intellectual property and academic integrity.

Copyright © 2025, the author(s). This is an open access article under the CC-BY-SA License.

Overall, this methodological framework supports a transparent, replicable, and systematic evaluation of Genetic Algorithm-based production scheduling optimization. By relying on empirically validated studies and applying structured comparative analysis, the method aligns with the standards of high-quality review-based research suitable for publication in accredited scientific journals.

RESULTS AND DISCUSSION

Empirical Performance of Genetic Algorithm-Based Scheduling

The reviewed studies consistently report that Genetic Algorithm-based scheduling models improve key production performance indicators across different manufacturing systems. The most frequently reported metrics include makespan reduction, lead time improvement, machine utilization, and scheduling efficiency. Table 1 summarizes empirical results from selected studies representing diverse manufacturing contexts.

Table 1. Summary of Empirical Results of Genetic Algorithm-Based Production Scheduling

Manufacturing System	Reference	Optimization Objective	Reported Improvement
Job shop manufacturing	Gupta et al. (2024)	Makespan minimization	32.23% improvement over existing schedule
Flow shop scheduling	Agárdi (2024)	Makespan minimization	Outperformed six heuristic methods
Flexible manufacturing system	Bao et al. (2023)	Cycle time and utilization	Reduced idle time and improved utilization
Intelligent manufacturing system	Zhang (2022)	Multi-objective scheduling	Reduced machine waiting time
Semiconductor manufacturing	Wang (2023)	Production time	Time saving of 18 minutes
Garment manufacturing	Sun & Cao (2022)	Cutting time	Reduced from 736 to 627 minutes

The results indicate that Genetic Algorithms perform well in both discrete and continuous production environments. Improvements are not limited to theoretical benchmarks but extend to real industrial cases, confirming their practical applicability.

Effectiveness Across Manufacturing System Types

Genetic Algorithms show strong adaptability across job shop, flow shop, and flexible manufacturing systems. In job shop environments, scheduling complexity arises from varied routing and machine constraints. Studies by Nguyen and Le (2024) and Yuniarthe et al. (2025) demonstrate that tailored chromosome encoding and fitness functions enable Genetic Algorithms to handle such complexity effectively.

In flexible manufacturing systems, Genetic Algorithms dynamically assign jobs to alternative machines. Bao et al. (2023) and Zhang et al. (2021) report improvements in equipment utilization and reductions in idle time. These findings confirm that population-based search mechanisms are effective in environments requiring continuous reconfiguration.

Flow shop and permutation-based scheduling problems also benefit from Genetic Algorithm optimization. Mansour and Abohashima (2023) showed that an adequate Genetic Algorithm

Copyright © 2025, the author(s). This is an open access article under the CC-BY-SA License.

effectively minimizes tardiness and energy consumption in no-idle flow shop systems. This demonstrates the algorithm's ability to handle operational constraints without degrading solution quality.

Performance of Hybrid Genetic Algorithm Models

Hybrid Genetic Algorithm models consistently outperform standalone implementations. Integrating Genetic Algorithms with Simulated Annealing enhances local search capability and prevents premature convergence. Dai et al. (2022) and Zhang et al. (2024) report faster convergence and better solution quality compared to conventional Genetic Algorithms. Table 2 summarizes reported advantages of hybrid approaches.

Table 2. Reported Advantages of Hybrid Genetic Algorithm Models

Hybrid Technique	Reference	Reported Benefit
GA + Simulated Annealing	Dai et al. (2022)	Reduced completion time
GA + Simulated Annealing	Singh & Singh (2024)	Lower penalty cost and makespan
GA + Petri Nets	Hammedi et al. (2024)	Improved lead time and resource utilization
GA + Simulation	Carocca (2022)	10.27% reduction in average lead time

These results confirm that hybridization strengthens Genetic Algorithm performance, especially in complex and dynamic manufacturing environments.

Application-Specific Implications

Sector-specific studies highlight the operational relevance of Genetic Algorithm-based scheduling. In aerospace manufacturing, Grassi et al. (2023) demonstrated improved tool utilization and reduced makespan in flexible job shop systems. Automotive manufacturing applications confirm that Genetic Algorithms support mixed-flow assembly line scheduling under demand variability (Zhang et al., 2025).

Green manufacturing studies further extend the impact of Genetic Algorithms. Xu and Wang (2023) reported enhanced resource utilization and reduced carbon emissions, while Mansour and Abohashima (2023) addressed energy-efficient scheduling objectives. These findings show that Genetic Algorithms align well with sustainability-driven manufacturing goals.

Diagram of Empirical Scheduling Optimization Outcomes

Copyright © 2025, the author(s). This is an open access article under the CC-BY-SA License.



The diagram illustrates the relationship between Genetic Algorithm scheduling mechanisms and empirically observed performance outcomes. Input components include population initialization, fitness evaluation, crossover, mutation, and hybrid integration. Output indicators consist of makespan reduction, lead time improvement, machine utilization enhancement, and energy efficiency. Arrows indicate direct influence of algorithm configuration on measurable production performance across manufacturing systems.

This visualization supports the empirical evidence that Genetic Algorithms produce consistent performance gains when applied to real manufacturing scheduling problems.

Discussion Summary

Overall, the empirical evidence confirms that Genetic Algorithms provide reliable and scalable solutions for production scheduling optimization. Performance improvements are consistent across manufacturing system types and become more pronounced when hybrid techniques are applied. The results validate established scheduling theories while demonstrating strong industrial relevance. These findings reinforce the role of Genetic Algorithms as core optimization tools in modern manufacturing systems.

CONCLUSION

This study demonstrates that Genetic Algorithms provide an effective and robust approach for optimizing production scheduling in manufacturing systems. The synthesized empirical evidence shows consistent improvements in key performance indicators, including makespan reduction, lead time improvement, machine utilization, and scheduling efficiency. These improvements are observed across diverse manufacturing environments, such as job shop, flow shop, flexible manufacturing systems, reconfigurable manufacturing systems, and intelligent manufacturing systems.

The findings confirm that the population-based search mechanism of Genetic Algorithms enables effective exploration of complex solution spaces while maintaining adaptability to system constraints. Standalone Genetic Algorithm models already outperform traditional heuristic and rule-based scheduling methods. Performance gains become more significant when Genetic Algorithms are integrated with complementary techniques, including Simulated Annealing, Petri Nets, and simulation-

Copyright © 2025, the author(s). This is an open access article under the CC-BY-SA License.

based optimization. Hybrid models demonstrate better convergence behavior and stronger robustness in dynamic and multi-objective scheduling contexts.

From a practical perspective, the results indicate that Genetic Algorithms can support decision-making in real manufacturing settings by improving production efficiency and resource utilization without requiring overly restrictive assumptions. Their applicability in sector-specific cases, including semiconductor, aerospace, automotive, garment, and green manufacturing, highlights their operational relevance and scalability.

The study contributes to the literature by consolidating recent empirical findings into a unified analytical perspective. This synthesis helps clarify performance patterns and methodological strengths of Genetic Algorithm-based scheduling approaches. Future research should focus on refining hybrid configurations and enhancing integration with real-time manufacturing data to further improve scheduling adaptability and reliability.

REFERENCES

Agárdi, A. (2024). Solving a production scheduling problem with genetic algorithm. *Multidiszciplináris Tudományok*, *4*(18). https://doi.org/10.35925/j.multi.2024.4.18

Ardianto, A. F., & Sukmono, T. (2023). Scheduling the production process using genetic algorithm method for optimization improvement at PT Kemasan Ciptatama Sempurna. *Tibuana*, *6*(1), 23–31. https://doi.org/10.36456/tibuana.6.1.6198.23-31

Bao, B., Duan, Z., Xu, N., & others. (2023). A new scheduling algorithm for flexible manufacturing systems based on genetic algorithm. *Manufacturing Review*. https://doi.org/10.1051/mfreview/2023010

Carocca, A. (2022). Integrated simulation-based optimization approach for production scheduling: A use case application in a machining process. In *Lecture Notes in Logistics*. Springer. https://doi.org/10.1007/978-3-031-05359-7_31

Cui, M., Yang, K., Deng, X., & others. (2022). Tabu hybrid genetic algorithm for glass deep processing production scheduling. In *Proceedings of TechDev 2022*. IEEE. https://doi.org/10.1109/TechDev57621.2022.00019

Dai, L., Lu, H., Hua, D., & others. (2022). A novel production scheduling approach based on improved hybrid genetic algorithm. *Sustainability*, *14*(18), 11747. https://doi.org/10.3390/su141811747

Grassi, A., Guizzi, G., Popolo, V., & others. (2023). A genetic-algorithm-based approach for optimizing tool utilization and makespan in flexible manufacturing system scheduling. *Journal of Manufacturing and Materials Processing*, *7*(2), 75. https://doi.org/10.3390/jmmp7020075

Grinchenko, N. N., & Kharitonov, A. A. (2025). Applying genetic algorithms to optimize production schedules. In *Proceedings of the International Scientific Conference* (pp. 295–302). https://doi.org/10.21667/978-5-7722-0426-9-295-302

Gupta, S., Phanden, R. K., Wolde, B., & others. (2024). Optimization of job shop scheduling problems using genetic algorithm and simulated annealing: A manufacturing industry case study. *Preprints*. https://doi.org/10.21203/rs.3.rs-4762389/v1

Hammedi, S., Elmelliani, J., Nabli, L., & others. (2024). Optimizing production in reconfigurable manufacturing systems using artificial intelligence and Petri nets. *International Journal of Advanced Computer Science and Applications*, *15*(1). https://doi.org/10.14569/ijacsa.2024.0151044

Han, J. H., & Lee, J. Y. (2023). Genetic algorithm-based approach for makespan minimization in flow shops with queue time limits and job skipping. *Advances in Production Engineering & Management*. https://doi.org/10.14743/apem2023.2.463

Copyright © 2025, the author(s). This is an open access article under the CC-BY-SA License.

Mansour, H., & Abohashima, H. (2023). Optimization of permutation no-idle flow shop green scheduling using an improved genetic algorithm. In *Proceedings of NILES 2023*. IEEE. https://doi.org/10.1109/niles59815.2023.10296723

Nguyen, T. P. Q., & Le, T. H. T. (2024). An innovative genetic algorithm-based master schedule for optimizing job shop scheduling problems. *The University of Danang Journal of Science and Technology*. https://doi.org/10.31130/ud-jst.2024.422e

Petrovic, M., Jokić, A., Miljković, Z., & others. (2022). Multi-objective population-based optimization algorithms for scheduling manufacturing entities. In *Proceedings of MMAR 2022*. IEEE. https://doi.org/10.1109/MMAR55195.2022.9874301

Schlecht, M., Berger, S., Wußler, D., & others. (2022). Optimierung der Reihenfolgeplanung. *ZWF Zeitschrift für wirtschaftlichen Fabrikbetrieb*. https://doi.org/10.1515/zwf-2022-1005

Sheng, C., Huangfu, Y., Song, J., & others. (2024). Integrated production scheduling optimization in aerospace manufacturing workshops based on production processes. In *Frontiers in Artificial Intelligence and Applications*. IOS Press. https://doi.org/10.3233/faia231289

Singh, V., & Singh, V. (2024). Scheduling of flexible manufacturing systems with penalty cost using simulated genetic algorithm. In *Proceedings of ICCCNT 2024*. IEEE. https://doi.org/10.1109/icccnt61001.2024.10724298

Sun, N., & Cao, B. (2022). Production scheduling optimization of garment intelligent manufacturing systems based on big data. *Computational Intelligence and Neuroscience*. https://doi.org/10.1155/2022/2293473

Wang, H. (2023). Evaluation of semiconductor manufacturing reconfiguration and production based on integrated scheduling optimization algorithms. In *Proceedings of CICN 2023*. IEEE. https://doi.org/10.1109/cicn59264.2023.10402132

Xu, P., & Wang, J. (2023). Production scheduling optimization of flexible manufacturing systems for green manufacturing. *International Journal of Intelligent Engineering and Technology*. https://doi.org/10.23055/ijietap.2023.30.6.9085

Yan, H. (2023). Improved genetic algorithm for production scheduling in machine tool manufacturing plants. In *Proceedings of ICIBA 2023*. IEEE. https://doi.org/10.1109/ICIBA56860.2023.10164947

Yang, C., Pan, X., Lu, W., & others. (2023). Research on production scheduling of electronic manufacturing batch production. In *Proceedings of ICCIA 2023*. IEEE. https://doi.org/10.1109/iccia59741.2023.00047

Yang, L., Pan, K. G., & Huang, X. (2023). Many-objective integrated process planning and scheduling: A mixed-integer linear programming model and genetic algorithm. *SSRN Electronic Journal*. https://doi.org/10.2139/ssrn.4680116

Yuniarthe, Y., Purnomo, R. F., Sari, R. A., & others. (2025). Application of bio-inspired particle swarm optimization algorithm for production scheduling optimization. *Journal of Information Systems and Technology Research*, *4*(2). https://doi.org/10.55537/jistr.v4i02.1132

Zhang, J., Zhang, N., Wang, A., & others. (2024). Hybrid job shop scheduling optimization based on genetic algorithms and simulated annealing. In *Proceedings of ICMA 2024*. IEEE. https://doi.org/10.1109/icma61710.2024.10633005

Zhang, M., Shen, Q., Zhang, Q., & others. (2025). Optimization of production scheduling for automobile mixed-flow assembly lines based on genetic algorithm. *Advances in Transdisciplinary Engineering*. https://doi.org/10.3233/atde250144

Zhang, Q., He, Z., & Liang, W. (2021). Intelligent shop floor scheduling using an improved genetic algorithm. In *Proceedings of ISMII 2021*. IEEE. https://doi.org/10.1109/ISMII52409.2021.00059

Zhang, X. (2022). Scheduling model of intelligent manufacturing systems based on genetic algorithm optimization. In *Proceedings of ICMTMA 2022*. IEEE. https://doi.org/10.1109/icmtma54903.2022.00095

Copyright © 2025, the author(s). This is an open access article under the CC-BY-SA License.

Copyright © 2025, the author(s). This is an open access article under the CC-BY-SA License.